

$$\begin{aligned}
& \left(\mu m_0 \left(2 \left(\cos(\theta(t)) R(t) + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{L_0}{10} + \eta_5(t) \right) \right) \right. \right. \\
& \quad \left. \left(-R(t) \sin(\theta(t)) - \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{10} + \eta_5(t) \right) \right) + \right. \\
& \quad \left. 2 \left(\cos(\theta(t)) R(t) + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{L_0}{10} + \eta_5(t) \right) \right) \right. \\
& \quad \left. \left. \left(R(t) \sin(\theta(t)) + \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{10} + \eta_5(t) \right) \right) \right) \right) / \\
& \quad \left(2 \left(\sin^2(\alpha(t)) \left(\frac{L_0}{10} + \eta_5(t) \right)^2 + \left(\cos(\theta(t)) R(t) + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{L_0}{10} + \eta_5(t) \right) \right)^2 + \right. \right. \\
& \quad \left. \left. \left(R(t) \sin(\theta(t)) + \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{10} + \eta_5(t) \right) \right)^2 \right)^{3/2} \right) + \\
& \left(\mu m_0 \left(2 \left(\cos(\theta(t)) R(t) - \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{L_0}{10} + \eta_6(t) \right) \right) \right. \right. \\
& \quad \left. \left(R(t) \sin(\theta(t)) - \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{10} + \eta_6(t) \right) \right) + \right. \\
& \quad \left. 2 \left(\cos(\theta(t)) R(t) - \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{L_0}{10} + \eta_6(t) \right) \right) \right. \\
& \quad \left. \left. \left(\cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{10} + \eta_6(t) \right) - R(t) \sin(\theta(t)) \right) \right) \right) / \\
& \quad \left(2 \left(\sin^2(\alpha(t)) \left(\frac{L_0}{10} + \eta_6(t) \right)^2 + \left(\cos(\theta(t)) R(t) - \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{L_0}{10} + \eta_6(t) \right) \right)^2 + \right. \right. \\
& \quad \left. \left. \left(R(t) \sin(\theta(t)) - \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{10} + \eta_6(t) \right) \right)^2 \right)^{3/2} \right) + \\
& \left(\mu m_0 \left(2 \left(\cos(\theta(t)) R(t) - \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{3 L_0}{10} + \eta_6(t) + \eta_7(t) \right) \right) \right. \right. \\
& \quad \left. \left(R(t) \sin(\theta(t)) - \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{3 L_0}{10} + \eta_6(t) + \eta_7(t) \right) \right) + \right. \\
& \quad \left. 2 \left(\cos(\theta(t)) R(t) - \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{3 L_0}{10} + \eta_6(t) + \eta_7(t) \right) \right) \right)
\end{aligned}$$

$$\begin{aligned}
& \left(\cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{3 L_0}{10} + \eta_6(t) + \eta_7(t) \right) - R(t) \sin(\theta(t)) \right) \Bigg) \Bigg) / \\
& \left(2 \left(\sin^2(\alpha(t)) \left(\frac{3 L_0}{10} + \eta_6(t) + \eta_7(t) \right) \right)^2 + \right. \\
& \left(\cos(\theta(t)) R(t) - \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{3 L_0}{10} + \eta_6(t) + \eta_7(t) \right) \right)^2 + \\
& \left(R(t) \sin(\theta(t)) - \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{3 L_0}{10} + \eta_6(t) + \eta_7(t) \right) \right)^2 \Bigg)^{3/2} \Bigg) + \\
& \left(\mu m_0 \left(2 \left(\cos(\theta(t)) R(t) - \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{L_0}{2} + \eta_6(t) + \eta_7(t) + \eta_8(t) \right) \right) \right. \right. \\
& \left(R(t) \sin(\theta(t)) - \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{2} + \eta_6(t) + \eta_7(t) + \eta_8(t) \right) \right) \Bigg) + \\
& 2 \left(\cos(\theta(t)) R(t) - \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{L_0}{2} + \eta_6(t) + \eta_7(t) + \eta_8(t) \right) \right) \\
& \left(\cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{2} + \eta_6(t) + \eta_7(t) + \eta_8(t) \right) - R(t) \sin(\theta(t)) \right) \Bigg) \Bigg) / \\
& \left(2 \left(\sin^2(\alpha(t)) \left(\frac{L_0}{2} + \eta_6(t) + \eta_7(t) + \eta_8(t) \right) \right)^2 + \right. \\
& \left(\cos(\theta(t)) R(t) - \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{L_0}{2} + \eta_6(t) + \eta_7(t) + \eta_8(t) \right) \right)^2 + \\
& \left(R(t) \sin(\theta(t)) - \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{2} + \eta_6(t) + \eta_7(t) + \eta_8(t) \right) \right)^2 \Bigg)^{3/2} \Bigg) + \\
& \left(\mu m_0 \left(2 \left(\cos(\theta(t)) R(t) - \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{7 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) \right) \right) \right. \right. \\
& \left(R(t) \sin(\theta(t)) - \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{7 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) \right) \right) \Bigg) + \\
& 2 \left(\cos(\theta(t)) R(t) - \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{7 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) \right) \right) \\
& \left(\cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{7 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) \right) - R(t) \sin(\theta(t)) \right) \Bigg) \Bigg) /
\end{aligned}$$

$$\begin{aligned}
& \left(2 \left(\sin^2(\alpha(t)) \left(\frac{7 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) \right) \right)^2 + \right. \\
& \quad \left(\cos(\theta(t)) R(t) - \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{7 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) \right) \right)^2 + \\
& \quad \left. \left(R(t) \sin(\theta(t)) - \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{7 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) \right) \right)^2 \right)^{3/2} \Bigg) + \\
& \left(\mu m_0 \left(2 \left(\cos(\theta(t)) R(t) - \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{9 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) \right) \right) \right. \right. \\
& \quad \left. \left(R(t) \sin(\theta(t)) - \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{9 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) \right) \right) \right) + \\
& \quad 2 \left(\cos(\theta(t)) R(t) - \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{9 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) \right) \right) \\
& \quad \left(\cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{9 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) \right) - \right. \\
& \quad \left. \left. R(t) \sin(\theta(t)) \right) \right) \Bigg) / \\
& \left(2 \left(\sin^2(\alpha(t)) \left(\frac{9 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) \right) \right)^2 + \left(\cos(\theta(t)) R(t) - \cos(\alpha(t)) \cos(\theta(t) + \right. \right. \\
& \quad \left. \left. \psi(t)) \left(\frac{9 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) \right) \right) \right)^2 + \left(R(t) \sin(\theta(t)) - \right. \\
& \quad \left. \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{9 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) \right) \right)^2 \Bigg)^{3/2} \Bigg) + \\
& \left(\mu M_{P2} \left(2 \left(\cos(\theta(t)) R(t) - \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(L_0 + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \right. \right. \right. \right. \\
& \quad \left. \left. \eta_{10}(t) + \eta_{P2}(t) \right) \right) \left(R(t) \sin(\theta(t)) - \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \right. \\
& \quad \left. \left(L_0 + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) + \eta_{P2}(t) \right) \right) + 2 \left(\cos(\theta(t)) R(t) - \right. \\
& \quad \left. \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(L_0 + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) + \eta_{P2}(t) \right) \right) \\
& \quad \left(\cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(L_0 + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) + \eta_{P2}(t) \right) - \right. \\
& \quad \left. \left. R(t) \sin(\theta(t)) \right) \right) \Bigg) \Bigg) / \\
& \left(2 \left(\sin^2(\alpha(t)) \left(L_0 + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) + \eta_{P2}(t) \right) \right)^2 + \left(\cos(\theta(t)) R(t) - \right. \right. \\
& \quad \left. \left. \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(L_0 + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) + \eta_{P2}(t) \right) \right) \right)^2 + \\
& \quad \left(R(t) \sin(\theta(t)) - \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(L_0 + \eta_6(t) + \eta_7(t) + \eta_8(t) + \right. \right.
\end{aligned}$$

$$\begin{aligned}
& \eta_9(t) + \eta_{10}(t) + \eta_{P2}(t) \Big)^2 \Big)^{3/2} \Big) - \\
& \frac{1}{2} M_M \Big(2 \Big(-\sin(\theta(t)) R'(t) - \cos(\theta(t)) R(t) \theta'(t) \Big) \Big(\cos(\theta(t)) R'(t) - R(t) \sin(\theta(t)) \theta'(t) \Big) + \\
& \quad 2 \Big(\sin(\theta(t)) R'(t) + \cos(\theta(t)) R(t) \theta'(t) \Big) \Big(\cos(\theta(t)) R'(t) - R(t) \sin(\theta(t)) \theta'(t) \Big) \Big) - \\
& \frac{1}{2} m_0 \Bigg(2 \Bigg(\cos(\theta(t)) R'(t) - \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \Bigg(\frac{L_0}{10} + \eta_5(t) \Bigg) \alpha'(t) - R(t) \sin(\theta(t)) \theta'(t) - \\
& \quad \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \Bigg(\frac{L_0}{10} + \eta_5(t) \Bigg) \Big(\theta'(t) + \psi'(t) \Big) + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \eta_5'(t) \Bigg) \\
& \quad \Big(-\sin(\theta(t)) R'(t) + \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \Bigg(\frac{L_0}{10} + \eta_5(t) \Bigg) \alpha'(t) - \cos(\theta(t)) R(t) \theta'(t) - \\
& \quad \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \Bigg(\frac{L_0}{10} + \eta_5(t) \Bigg) \Big(\theta'(t) + \psi'(t) \Big) - \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \eta_5'(t) \Bigg) + \\
& \quad 2 \Bigg(\cos(\theta(t)) R'(t) - \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \Bigg(\frac{L_0}{10} + \eta_5(t) \Bigg) \alpha'(t) - R(t) \sin(\theta(t)) \theta'(t) - \\
& \quad \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \Bigg(\frac{L_0}{10} + \eta_5(t) \Bigg) \Big(\theta'(t) + \psi'(t) \Big) + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \eta_5'(t) \Bigg) \\
& \quad \Big(\sin(\theta(t)) R'(t) - \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \Bigg(\frac{L_0}{10} + \eta_5(t) \Bigg) \alpha'(t) + \cos(\theta(t)) R(t) \theta'(t) + \\
& \quad \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \Bigg(\frac{L_0}{10} + \eta_5(t) \Bigg) \Big(\theta'(t) + \psi'(t) \Big) + \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \eta_5'(t) \Bigg) \Bigg) - \\
& \frac{1}{2} m_0 \Bigg(2 \Bigg(\cos(\theta(t)) R'(t) - \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \Bigg(\frac{3 L_0}{10} + \eta_4(t) + \eta_5(t) \Bigg) \alpha'(t) - \\
& \quad R(t) \sin(\theta(t)) \theta'(t) - \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \Bigg(\frac{3 L_0}{10} + \eta_4(t) + \eta_5(t) \Bigg) \Big(\theta'(t) + \psi'(t) \Big) + \\
& \quad \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \Big(\eta_4'(t) + \eta_5'(t) \Big) \Bigg) \\
& \quad \Big(-\sin(\theta(t)) R'(t) + \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \Bigg(\frac{3 L_0}{10} + \eta_4(t) + \eta_5(t) \Bigg) \alpha'(t) - \\
& \quad \cos(\theta(t)) R(t) \theta'(t) - \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \Bigg(\frac{3 L_0}{10} + \eta_4(t) + \eta_5(t) \Bigg) \Big(\theta'(t) + \psi'(t) \Big) - \\
& \quad \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \Big(\eta_4'(t) + \eta_5'(t) \Big) \Bigg) +
\end{aligned}$$

$$\begin{aligned}
& 2 \left(\cos(\theta(t)) R'(t) - \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \left(\frac{3L_0}{10} + \eta_4(t) + \eta_5(t) \right) \alpha'(t) - \right. \\
& \quad R(t) \sin(\theta(t)) \theta'(t) - \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{3L_0}{10} + \eta_4(t) + \eta_5(t) \right) (\theta'(t) + \psi'(t)) + \\
& \quad \left. \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) (\eta_4'(t) + \eta_5'(t)) \right) \\
& \left(\sin(\theta(t)) R'(t) - \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{3L_0}{10} + \eta_4(t) + \eta_5(t) \right) \alpha'(t) + \right. \\
& \quad \cos(\theta(t)) R(t) \theta'(t) + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{3L_0}{10} + \eta_4(t) + \eta_5(t) \right) (\theta'(t) + \psi'(t)) + \\
& \quad \left. \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (\eta_4'(t) + \eta_5'(t)) \right) \Bigg) - \\
& \frac{1}{2} m_0 \left(2 \left(\cos(\theta(t)) R'(t) - \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \left(\frac{L_0}{2} + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \alpha'(t) - \right. \right. \\
& \quad R(t) \sin(\theta(t)) \theta'(t) - \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{2} + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) (\theta'(t) + \psi'(t)) + \\
& \quad \left. \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) (\eta_3'(t) + \eta_4'(t) + \eta_5'(t)) \right) \\
& \left(-\sin(\theta(t)) R'(t) + \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{2} + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \alpha'(t) - \right. \\
& \quad \cos(\theta(t)) R(t) \theta'(t) - \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{L_0}{2} + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) (\theta'(t) + \psi'(t)) - \\
& \quad \left. \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (\eta_3'(t) + \eta_4'(t) + \eta_5'(t)) \right) + \\
& 2 \left(\cos(\theta(t)) R'(t) - \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \left(\frac{L_0}{2} + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \alpha'(t) - \right. \\
& \quad R(t) \sin(\theta(t)) \theta'(t) - \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{2} + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) (\theta'(t) + \psi'(t)) + \\
& \quad \left. \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) (\eta_3'(t) + \eta_4'(t) + \eta_5'(t)) \right) \\
& \left(\sin(\theta(t)) R'(t) - \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{2} + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \alpha'(t) + \right.
\end{aligned}$$

$$\begin{aligned}
& \cos(\theta(t)) R(t) \theta'(t) + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{L_0}{2} + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) (\theta'(t) + \psi'(t)) + \\
& \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (\eta_3'(t) + \eta_4'(t) + \eta_5'(t)) \Big) - \\
& \frac{1}{2} m_0 \left(2 \left(\cos(\theta(t)) R'(t) - \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \left(\frac{7 L_0}{10} + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \alpha'(t) - \right. \right. \\
& R(t) \sin(\theta(t)) \theta'(t) - \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{7 L_0}{10} + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \\
& (\theta'(t) + \psi'(t)) + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) (\eta_2'(t) + \eta_3'(t) + \eta_4'(t) + \eta_5'(t)) \Big) \\
& \left(-\sin(\theta(t)) R'(t) + \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{7 L_0}{10} + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \alpha'(t) - \right. \\
& \cos(\theta(t)) R(t) \theta'(t) - \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{7 L_0}{10} + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \\
& (\theta'(t) + \psi'(t)) - \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (\eta_2'(t) + \eta_3'(t) + \eta_4'(t) + \eta_5'(t)) \Big) + \\
& 2 \left(\cos(\theta(t)) R'(t) - \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \left(\frac{7 L_0}{10} + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \alpha'(t) - \right. \\
& R(t) \sin(\theta(t)) \theta'(t) - \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{7 L_0}{10} + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \\
& (\theta'(t) + \psi'(t)) + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) (\eta_2'(t) + \eta_3'(t) + \eta_4'(t) + \eta_5'(t)) \Big) \\
& \left(\sin(\theta(t)) R'(t) - \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{7 L_0}{10} + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \alpha'(t) + \right. \\
& \cos(\theta(t)) R(t) \theta'(t) + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{7 L_0}{10} + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \\
& (\theta'(t) + \psi'(t)) + \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (\eta_2'(t) + \eta_3'(t) + \eta_4'(t) + \eta_5'(t)) \Big) \Big) - \frac{1}{2} m_0 \\
& \left(2 \left(\cos(\theta(t)) R'(t) - \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \left(\frac{9 L_0}{10} + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \alpha'(t) - \right. \right. \\
& R(t) \sin(\theta(t)) \theta'(t) - \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{9 L_0}{10} + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right)
\end{aligned}$$

$$\begin{aligned}
& \left(\theta'(t) + \psi'(t) + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) (\eta_1'(t) + \eta_2'(t) + \eta_3'(t) + \eta_4'(t) + \eta_5'(t)) \right) \\
& \left(-\sin(\theta(t)) R'(t) + \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{9L_0}{10} + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \right. \\
& \quad \alpha'(t) - \cos(\theta(t)) R(t) \theta'(t) - \\
& \quad \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{9L_0}{10} + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) (\theta'(t) + \psi'(t)) - \\
& \quad \left. \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (\eta_1'(t) + \eta_2'(t) + \eta_3'(t) + \eta_4'(t) + \eta_5'(t)) \right) + \\
& 2 \left(\cos(\theta(t)) R'(t) - \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \left(\frac{9L_0}{10} + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \alpha'(t) - \right. \\
& \quad R(t) \sin(\theta(t)) \theta'(t) - \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{9L_0}{10} + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \\
& \quad \left. (\theta'(t) + \psi'(t)) + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) (\eta_1'(t) + \eta_2'(t) + \eta_3'(t) + \eta_4'(t) + \eta_5'(t)) \right) \\
& \left(\sin(\theta(t)) R'(t) - \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{9L_0}{10} + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \alpha'(t) + \right. \\
& \quad \cos(\theta(t)) R(t) \theta'(t) + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{9L_0}{10} + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \\
& \quad \left. (\theta'(t) + \psi'(t)) + \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (\eta_1'(t) + \eta_2'(t) + \eta_3'(t) + \eta_4'(t) + \eta_5'(t)) \right) \Big) - \\
& \frac{1}{2} m_0 \left(2 \left(\cos(\theta(t)) R'(t) + \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \left(\frac{L_0}{10} + \eta_6(t) \right) \alpha'(t) - R(t) \sin(\theta(t)) \theta'(t) + \right. \right. \\
& \quad \left. \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{10} + \eta_6(t) \right) (\theta'(t) + \psi'(t)) - \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \eta_6'(t) \right) \\
& \left(\sin(\theta(t)) R'(t) + \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{10} + \eta_6(t) \right) \alpha'(t) + \cos(\theta(t)) R(t) \theta'(t) - \right. \\
& \quad \left. \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{L_0}{10} + \eta_6(t) \right) (\theta'(t) + \psi'(t)) - \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \eta_6'(t) \right) + \\
& 2 \left(\cos(\theta(t)) R'(t) + \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \left(\frac{L_0}{10} + \eta_6(t) \right) \alpha'(t) - R(t) \sin(\theta(t)) \theta'(t) + \right. \\
& \quad \left. \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{10} + \eta_6(t) \right) (\theta'(t) + \psi'(t)) - \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \eta_6'(t) \right)
\end{aligned}$$

$$\begin{aligned}
& \left(-\sin(\theta(t)) R'(t) - \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{10} + \eta_6(t) \right) \alpha'(t) - \cos(\theta(t)) R(t) \theta'(t) + \right. \\
& \quad \left. \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{L_0}{10} + \eta_6(t) \right) (\theta'(t) + \psi'(t)) + \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \eta_6'(t) \right) \Bigg) - \\
& \frac{1}{2} m_0 \left(2 \left(\cos(\theta(t)) R'(t) + \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \left(\frac{3L_0}{10} + \eta_6(t) + \eta_7(t) \right) \alpha'(t) - \right. \right. \\
& \quad \left. R(t) \sin(\theta(t)) \theta'(t) + \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{3L_0}{10} + \eta_6(t) + \eta_7(t) \right) (\theta'(t) + \psi'(t)) - \right. \\
& \quad \left. \left. \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) (\eta_6'(t) + \eta_7'(t)) \right) \right) \\
& \left(\sin(\theta(t)) R'(t) + \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{3L_0}{10} + \eta_6(t) + \eta_7(t) \right) \alpha'(t) + \right. \\
& \quad \left. \cos(\theta(t)) R(t) \theta'(t) - \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{3L_0}{10} + \eta_6(t) + \eta_7(t) \right) (\theta'(t) + \psi'(t)) - \right. \\
& \quad \left. \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (\eta_6'(t) + \eta_7'(t)) \right) \Bigg) + \\
& 2 \left(\cos(\theta(t)) R'(t) + \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \left(\frac{3L_0}{10} + \eta_6(t) + \eta_7(t) \right) \alpha'(t) - \right. \\
& \quad \left. R(t) \sin(\theta(t)) \theta'(t) + \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{3L_0}{10} + \eta_6(t) + \eta_7(t) \right) (\theta'(t) + \psi'(t)) - \right. \\
& \quad \left. \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) (\eta_6'(t) + \eta_7'(t)) \right) \Bigg) \\
& \left(-\sin(\theta(t)) R'(t) - \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{3L_0}{10} + \eta_6(t) + \eta_7(t) \right) \alpha'(t) - \right. \\
& \quad \left. \cos(\theta(t)) R(t) \theta'(t) + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{3L_0}{10} + \eta_6(t) + \eta_7(t) \right) (\theta'(t) + \psi'(t)) + \right. \\
& \quad \left. \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (\eta_6'(t) + \eta_7'(t)) \right) \Bigg) - \\
& \frac{1}{2} m_0 \left(2 \left(\cos(\theta(t)) R'(t) + \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \left(\frac{L_0}{2} + \eta_6(t) + \eta_7(t) + \eta_8(t) \right) \alpha'(t) - \right. \right. \\
& \quad \left. R(t) \sin(\theta(t)) \theta'(t) + \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{2} + \eta_6(t) + \eta_7(t) + \eta_8(t) \right) (\theta'(t) + \psi'(t)) - \right.
\end{aligned}$$

$$\begin{aligned}
& \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) (\eta_6'(t) + \eta_7'(t) + \eta_8'(t)) \Big) \\
& \left(\sin(\theta(t)) R'(t) + \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{2} + \eta_6(t) + \eta_7(t) + \eta_8(t) \right) \alpha'(t) + \right. \\
& \cos(\theta(t)) R(t) \theta'(t) - \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{L_0}{2} + \eta_6(t) + \eta_7(t) + \eta_8(t) \right) (\theta'(t) + \psi'(t)) - \\
& \left. \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (\eta_6'(t) + \eta_7'(t) + \eta_8'(t)) \right) + \\
& 2 \left(\cos(\theta(t)) R'(t) + \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \left(\frac{L_0}{2} + \eta_6(t) + \eta_7(t) + \eta_8(t) \right) \alpha'(t) - \right. \\
& R(t) \sin(\theta(t)) \theta'(t) + \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{2} + \eta_6(t) + \eta_7(t) + \eta_8(t) \right) (\theta'(t) + \psi'(t)) - \\
& \left. \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) (\eta_6'(t) + \eta_7'(t) + \eta_8'(t)) \right) \\
& \left(-\sin(\theta(t)) R'(t) - \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{2} + \eta_6(t) + \eta_7(t) + \eta_8(t) \right) \alpha'(t) - \right. \\
& \cos(\theta(t)) R(t) \theta'(t) + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{L_0}{2} + \eta_6(t) + \eta_7(t) + \eta_8(t) \right) (\theta'(t) + \psi'(t)) + \\
& \left. \left. \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (\eta_6'(t) + \eta_7'(t) + \eta_8'(t)) \right) \right) - \\
& \frac{1}{2} m_0 \left(2 \left(\cos(\theta(t)) R'(t) + \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \left(\frac{7L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) \right) \alpha'(t) - \right. \right. \\
& R(t) \sin(\theta(t)) \theta'(t) + \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{7L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) \right) \\
& \left. \left. (\theta'(t) + \psi'(t)) - \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) (\eta_6'(t) + \eta_7'(t) + \eta_8'(t) + \eta_9'(t)) \right) \right) \\
& \left(\sin(\theta(t)) R'(t) + \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{7L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) \right) \alpha'(t) + \right. \\
& \cos(\theta(t)) R(t) \theta'(t) - \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{7L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) \right) \\
& \left. \left. (\theta'(t) + \psi'(t)) - \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (\eta_6'(t) + \eta_7'(t) + \eta_8'(t) + \eta_9'(t)) \right) \right) +
\end{aligned}$$

$$\begin{aligned}
& 2 \left(\cos(\theta(t)) R'(t) + \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \left(\frac{7 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) \right) \alpha'(t) - \right. \\
& \quad R(t) \sin(\theta(t)) \theta'(t) + \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{7 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) \right) \\
& \quad \left. (\theta'(t) + \psi'(t)) - \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) (\eta_6'(t) + \eta_7'(t) + \eta_8'(t) + \eta_9'(t)) \right) \\
& \left(-\sin(\theta(t)) R'(t) - \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{7 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) \right) \alpha'(t) - \right. \\
& \quad \cos(\theta(t)) R(t) \theta'(t) + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{7 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) \right) \\
& \quad \left. (\theta'(t) + \psi'(t)) + \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (\eta_6'(t) + \eta_7'(t) + \eta_8'(t) + \eta_9'(t)) \right) \Bigg) - \\
& \frac{1}{2} m_0 \left(2 \left(\cos(\theta(t)) R'(t) + \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \left(\frac{9 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) \right) \right. \right. \\
& \quad \alpha'(t) - R(t) \sin(\theta(t)) \theta'(t) + \\
& \quad \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{9 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) \right) (\theta'(t) + \psi'(t)) - \\
& \quad \left. \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) (\eta_6'(t) + \eta_7'(t) + \eta_8'(t) + \eta_9'(t) + \eta_{10}'(t)) \right) \\
& \left(\sin(\theta(t)) R'(t) + \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{9 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) \right) \right. \\
& \quad \alpha'(t) + \cos(\theta(t)) R(t) \theta'(t) - \\
& \quad \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{9 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) \right) (\theta'(t) + \psi'(t)) - \\
& \quad \left. \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (\eta_6'(t) + \eta_7'(t) + \eta_8'(t) + \eta_9'(t) + \eta_{10}'(t)) \right) + \\
& 2 \left(\cos(\theta(t)) R'(t) + \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \left(\frac{9 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) \right) \right. \\
& \quad \alpha'(t) - R(t) \sin(\theta(t)) \theta'(t) + \\
& \quad \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{9 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) \right) (\theta'(t) + \psi'(t)) - \\
& \quad \left. \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) (\eta_6'(t) + \eta_7'(t) + \eta_8'(t) + \eta_9'(t) + \eta_{10}'(t)) \right)
\end{aligned}$$

$$\begin{aligned}
& \left(-\sin(\theta(t)) R'(t) - \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{9 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) \right) \right. \\
& \quad \alpha'(t) - \cos(\theta(t)) R(t) \theta'(t) + \\
& \quad \left. \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{9 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) \right) (\theta'(t) + \psi'(t)) + \right. \\
& \quad \left. \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (\eta_6'(t) + \eta_7'(t) + \eta_8'(t) + \eta_9'(t) + \eta_{10}'(t)) \right) \Bigg) - \frac{1}{2} M_{P1} \\
& 2 \left(\cos(\theta(t)) R'(t) - \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) (L_0 + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) + \eta_{P1}(t)) \right. \\
& \quad \alpha'(t) - R(t) \sin(\theta(t)) \theta'(t) - \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \\
& \quad (L_0 + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) + \eta_{P1}(t)) (\theta'(t) + \psi'(t)) + \\
& \quad \left. \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) (\eta_1'(t) + \eta_2'(t) + \eta_3'(t) + \eta_4'(t) + \eta_5'(t) + \eta_{P1}'(t)) \right) \\
& (-\sin(\theta(t)) R'(t) + \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) (L_0 + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) + \eta_{P1}(t)) \\
& \quad \alpha'(t) - \cos(\theta(t)) R(t) \theta'(t) - \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \\
& \quad (L_0 + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) + \eta_{P1}(t)) (\theta'(t) + \psi'(t)) - \\
& \quad \left. \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (\eta_1'(t) + \eta_2'(t) + \eta_3'(t) + \eta_4'(t) + \eta_5'(t) + \eta_{P1}'(t)) \right) + \\
& 2 \left(\cos(\theta(t)) R'(t) - \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) (L_0 + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) + \eta_{P1}(t)) \right. \\
& \quad \alpha'(t) - R(t) \sin(\theta(t)) \theta'(t) - \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \\
& \quad (L_0 + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) + \eta_{P1}(t)) (\theta'(t) + \psi'(t)) + \\
& \quad \left. \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) (\eta_1'(t) + \eta_2'(t) + \eta_3'(t) + \eta_4'(t) + \eta_5'(t) + \eta_{P1}'(t)) \right) \\
& (\sin(\theta(t)) R'(t) - \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) (L_0 + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) + \eta_{P1}(t)) \\
& \quad \alpha'(t) + \cos(\theta(t)) R(t) \theta'(t) + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \\
& \quad (L_0 + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) + \eta_{P1}(t)) (\theta'(t) + \psi'(t)) + \\
& \quad \left. \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (\eta_1'(t) + \eta_2'(t) + \eta_3'(t) + \eta_4'(t) + \eta_5'(t) + \eta_{P1}'(t)) \right) - \frac{1}{2} M_{P2} \\
& 2 \left(\cos(\theta(t)) R'(t) + \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) (L_0 + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) + \eta_{P2}(t)) \right. \\
& \quad \alpha'(t) - R(t) \sin(\theta(t)) \theta'(t) + \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \\
& \quad (L_0 + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) + \eta_{P2}(t)) (\theta'(t) + \psi'(t)) - \\
& \quad \left. \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) (\eta_6'(t) + \eta_7'(t) + \eta_8'(t) + \eta_9'(t) + \eta_{10}'(t) + \eta_{P2}'(t)) \right) \\
& (\sin(\theta(t)) R'(t) + \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) (L_0 + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) + \eta_{P2}(t)) \\
& \quad \alpha'(t) + \cos(\theta(t)) R(t) \theta'(t) - \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \\
& \quad (L_0 + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) + \eta_{P2}(t)) (\theta'(t) + \psi'(t)) - \\
& \quad \left. \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (\eta_6'(t) + \eta_7'(t) + \eta_8'(t) + \eta_9'(t) + \eta_{10}'(t) + \eta_{P2}'(t)) \right) + \\
& 2 \left(\cos(\theta(t)) R'(t) + \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) (L_0 + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) + \eta_{P2}(t)) \right. \\
& \quad \alpha'(t) - R(t) \sin(\theta(t)) \theta'(t) + \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \\
& \quad (L_0 + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) + \eta_{P2}(t)) (\theta'(t) + \psi'(t)) - \\
& \quad \left. \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) (\eta_6'(t) + \eta_7'(t) + \eta_8'(t) + \eta_9'(t) + \eta_{10}'(t) + \eta_{P2}'(t)) \right)
\end{aligned}$$

$$\begin{aligned}
& \left(-\sin(\theta(t)) R'(t) - \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) (L_0 + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \right. \\
& \quad \left. \eta_{10}(t) + \eta_{P2}(t)) \alpha'(t) - \cos(\theta(t)) R(t) \theta'(t) + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \right. \\
& \quad \left(L_0 + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) + \eta_{P2}(t) \right) (\theta'(t) + \psi'(t)) + \\
& \quad \left. \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (\eta_6'(t) + \eta_7'(t) + \eta_8'(t) + \eta_9'(t) + \eta_{10}'(t) + \eta_{P2}'(t)) \right) + \\
& \frac{1}{2} M_M \left(2 \cos(\theta(t)) R'(t) (\sin(\theta(t)) R'(t) + \cos(\theta(t)) R(t) \theta'(t)) - \right. \\
& \quad 2 R(t) \sin(\theta(t)) \theta'(t) (\sin(\theta(t)) R'(t) + \cos(\theta(t)) R(t) \theta'(t)) - \\
& \quad 2 \sin(\theta(t)) R'(t) (\cos(\theta(t)) R'(t) - R(t) \sin(\theta(t)) \theta'(t)) - \\
& \quad 2 \cos(\theta(t)) R(t) \theta'(t) (\cos(\theta(t)) R'(t) - R(t) \sin(\theta(t)) \theta'(t)) + \\
& \quad 2 \cos(\theta(t)) R(t) (-R(t) \sin(\theta(t)) \theta'(t)^2 + 2 \cos(\theta(t)) R'(t) \theta'(t) + \\
& \quad \sin(\theta(t)) R''(t) + \cos(\theta(t)) R(t) \theta''(t)) - 2 R(t) \sin(\theta(t)) \\
& \quad \left. (-\cos(\theta(t)) R(t) \theta'(t)^2 - 2 \sin(\theta(t)) R'(t) \theta'(t) + \cos(\theta(t)) R''(t) - R(t) \sin(\theta(t)) \theta''(t)) \right) + \\
& 2 \left(\frac{i_{zM}}{2} + \frac{i_{zp1}}{2} + \frac{i_{zp2}}{2} + i_{zT} \right) (\theta''(t) + \psi''(t)) + \\
& \frac{1}{2} \\
& m_0 \\
& \left(2 \left(\cos(\theta(t)) R'(t) - \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \left(\frac{L_0}{10} + \eta_5(t) \right) \alpha'(t) - R(t) \sin(\theta(t)) \theta'(t) - \right. \right. \\
& \quad \left. \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{10} + \eta_5(t) \right) (\theta'(t) + \psi'(t)) + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \eta_5'(t) \right) \\
& \quad \left(-\sin(\theta(t)) R'(t) + \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{10} + \eta_5(t) \right) \alpha'(t) - \cos(\theta(t)) R(t) \theta'(t) - \right. \\
& \quad \left. \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{L_0}{10} + \eta_5(t) \right) (\theta'(t) + \psi'(t)) - \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \eta_5'(t) \right) + \\
& 2 \left(\cos(\theta(t)) R'(t) - \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \left(\frac{L_0}{10} + \eta_5(t) \right) \alpha'(t) - R(t) \sin(\theta(t)) \theta'(t) - \right. \\
& \quad \left. \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{10} + \eta_5(t) \right) (\theta'(t) + \psi'(t)) + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \eta_5'(t) \right) \\
& \quad \left(\sin(\theta(t)) R'(t) - \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{10} + \eta_5(t) \right) \alpha'(t) + \cos(\theta(t)) R(t) \theta'(t) + \right. \\
& \quad \left. \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{L_0}{10} + \eta_5(t) \right) (\theta'(t) + \psi'(t)) + \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \eta_5'(t) \right) +
\end{aligned}$$

$$\begin{aligned}
& 2 \left(-R(t) \sin(\theta(t)) - \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{10} + \eta_5(t) \right) \right) \\
& \left(-\cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{L_0}{10} + \eta_5(t) \right) \alpha'(t)^2 + 2 \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \right. \\
& \quad \left(\frac{L_0}{10} + \eta_5(t) \right) (\theta'(t) + \psi'(t)) \alpha'(t) - 2 \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \eta_5'(t) \alpha'(t) - \\
& \quad \cos(\theta(t)) R(t) \theta'(t)^2 - \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{L_0}{10} + \eta_5(t) \right) (\theta'(t) + \psi'(t))^2 - \\
& \quad 2 \sin(\theta(t)) R'(t) \theta'(t) - 2 \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (\theta'(t) + \psi'(t)) \eta_5'(t) + \\
& \quad \cos(\theta(t)) R''(t) - \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \left(\frac{L_0}{10} + \eta_5(t) \right) \alpha''(t) - R(t) \sin(\theta(t)) \theta''(t) - \\
& \quad \left. \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{10} + \eta_5(t) \right) (\theta''(t) + \psi''(t)) + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \eta_5''(t) \right) + \\
& 2 \left(\cos(\theta(t)) R(t) + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{L_0}{10} + \eta_5(t) \right) \right) \\
& \left(-\cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{10} + \eta_5(t) \right) \alpha'(t)^2 - 2 \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \right. \\
& \quad \left(\frac{L_0}{10} + \eta_5(t) \right) (\theta'(t) + \psi'(t)) \alpha'(t) - 2 \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \eta_5'(t) \alpha'(t) - \\
& \quad R(t) \sin(\theta(t)) \theta'(t)^2 - \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{10} + \eta_5(t) \right) (\theta'(t) + \psi'(t))^2 + \\
& \quad 2 \cos(\theta(t)) R'(t) \theta'(t) + 2 \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) (\theta'(t) + \psi'(t)) \eta_5'(t) + \sin(\theta(t)) R''(t) - \\
& \quad \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{10} + \eta_5(t) \right) \alpha''(t) + \cos(\theta(t)) R(t) \theta''(t) + \cos(\alpha(t)) \\
& \quad \left. \cos(\theta(t) + \psi(t)) \left(\frac{L_0}{10} + \eta_5(t) \right) (\theta''(t) + \psi''(t)) + \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \eta_5''(t) \right) + \\
& \frac{1}{2} m_0 \left(2 \left(\cos(\theta(t)) R'(t) - \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \left(\frac{3 L_0}{10} + \eta_4(t) + \eta_5(t) \right) \alpha'(t) - \right. \right. \\
& \quad R(t) \sin(\theta(t)) \theta'(t) - \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{3 L_0}{10} + \eta_4(t) + \eta_5(t) \right) (\theta'(t) + \psi'(t)) + \\
& \quad \left. \left. \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) (\eta_4'(t) + \eta_5'(t)) \right) \right)
\end{aligned}$$

$$\begin{aligned}
& \left(-\sin(\theta(t)) R'(t) + \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{3 L_0}{10} + \eta_4(t) + \eta_5(t) \right) \alpha'(t) - \right. \\
& \quad \cos(\theta(t)) R(t) \theta'(t) - \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{3 L_0}{10} + \eta_4(t) + \eta_5(t) \right) (\theta'(t) + \psi'(t)) - \\
& \quad \left. \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (\eta_4'(t) + \eta_5'(t)) \right) + \\
& 2 \left(\cos(\theta(t)) R'(t) - \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \left(\frac{3 L_0}{10} + \eta_4(t) + \eta_5(t) \right) \alpha'(t) - \right. \\
& \quad R(t) \sin(\theta(t)) \theta'(t) - \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{3 L_0}{10} + \eta_4(t) + \eta_5(t) \right) (\theta'(t) + \psi'(t)) + \\
& \quad \left. \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) (\eta_4'(t) + \eta_5'(t)) \right) \\
& \left(\sin(\theta(t)) R'(t) - \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{3 L_0}{10} + \eta_4(t) + \eta_5(t) \right) \alpha'(t) + \right. \\
& \quad \cos(\theta(t)) R(t) \theta'(t) + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{3 L_0}{10} + \eta_4(t) + \eta_5(t) \right) (\theta'(t) + \psi'(t)) + \\
& \quad \left. \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (\eta_4'(t) + \eta_5'(t)) \right) + \\
& 2 \left(-R(t) \sin(\theta(t)) - \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{3 L_0}{10} + \eta_4(t) + \eta_5(t) \right) \right) \\
& \left(-\cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{3 L_0}{10} + \eta_4(t) + \eta_5(t) \right) \alpha'(t)^2 + \right. \\
& \quad 2 \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{3 L_0}{10} + \eta_4(t) + \eta_5(t) \right) (\theta'(t) + \psi'(t)) \alpha'(t) - \\
& \quad 2 \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) (\eta_4'(t) + \eta_5'(t)) \alpha'(t) - \cos(\theta(t)) R(t) \theta'(t)^2 - \\
& \quad \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{3 L_0}{10} + \eta_4(t) + \eta_5(t) \right) (\theta'(t) + \psi'(t))^2 - \\
& \quad 2 \sin(\theta(t)) R'(t) \theta'(t) - 2 \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (\theta'(t) + \psi'(t)) (\eta_4'(t) + \eta_5'(t)) + \\
& \quad \cos(\theta(t)) R''(t) - \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \left(\frac{3 L_0}{10} + \eta_4(t) + \eta_5(t) \right) \alpha''(t) - \\
& \quad R(t) \sin(\theta(t)) \theta''(t) - \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{3 L_0}{10} + \eta_4(t) + \eta_5(t) \right) (\theta''(t) + \psi''(t)) +
\end{aligned}$$

$$\begin{aligned}
& \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\eta_4''(t) + \eta_5''(t) \right) \Bigg) + \\
& 2 \left(\cos(\theta(t)) R(t) + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{3 L_0}{10} + \eta_4(t) + \eta_5(t) \right) \right) \\
& \left(-\cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{3 L_0}{10} + \eta_4(t) + \eta_5(t) \right) \alpha'(t)^2 - \right. \\
& 2 \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \left(\frac{3 L_0}{10} + \eta_4(t) + \eta_5(t) \right) (\theta'(t) + \psi'(t)) \alpha'(t) - \\
& 2 \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) (\eta_4'(t) + \eta_5'(t)) \alpha'(t) - R(t) \sin(\theta(t)) \theta'(t)^2 - \\
& \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{3 L_0}{10} + \eta_4(t) + \eta_5(t) \right) (\theta'(t) + \psi'(t))^2 + 2 \cos(\theta(t)) R'(t) \theta'(t) + \\
& 2 \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) (\theta'(t) + \psi'(t)) (\eta_4'(t) + \eta_5'(t)) + \sin(\theta(t)) R''(t) - \\
& \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{3 L_0}{10} + \eta_4(t) + \eta_5(t) \right) \alpha''(t) + \cos(\theta(t)) R(t) \theta''(t) + \\
& \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{3 L_0}{10} + \eta_4(t) + \eta_5(t) \right) (\theta''(t) + \psi''(t)) + \\
& \left. \left. \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (\eta_4''(t) + \eta_5''(t)) \right) \right) \Bigg) + \\
& \frac{1}{2} m_0 \left(2 \left(\cos(\theta(t)) R'(t) - \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \left(\frac{L_0}{2} + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \alpha'(t) - \right. \right. \\
& R(t) \sin(\theta(t)) \theta'(t) - \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{2} + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) (\theta'(t) + \psi'(t)) + \\
& \left. \left. \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) (\eta_3'(t) + \eta_4'(t) + \eta_5'(t)) \right) \right) \\
& \left(-\sin(\theta(t)) R'(t) + \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{2} + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \alpha'(t) - \right. \\
& \cos(\theta(t)) R(t) \theta'(t) - \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{L_0}{2} + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) (\theta'(t) + \psi'(t)) - \\
& \left. \left. \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (\eta_3'(t) + \eta_4'(t) + \eta_5'(t)) \right) \right) + \\
& 2 \left(\cos(\theta(t)) R'(t) - \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \left(\frac{L_0}{2} + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \alpha'(t) - \right.
\end{aligned}$$

$$\begin{aligned}
& R(t) \sin(\theta(t)) \theta'(t) - \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{2} + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) (\theta'(t) + \psi'(t)) + \\
& \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) (\eta_3'(t) + \eta_4'(t) + \eta_5'(t)) \Bigg) \\
& \left(\sin(\theta(t)) R'(t) - \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{2} + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \alpha'(t) + \right. \\
& \cos(\theta(t)) R(t) \theta'(t) + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{L_0}{2} + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) (\theta'(t) + \psi'(t)) + \\
& \left. \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (\eta_3'(t) + \eta_4'(t) + \eta_5'(t)) \right) + \\
& 2 \left(-R(t) \sin(\theta(t)) - \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{2} + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \right) \\
& \left(-\cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{L_0}{2} + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \alpha'(t)^2 + \right. \\
& 2 \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{2} + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) (\theta'(t) + \psi'(t)) \alpha'(t) - \\
& 2 \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) (\eta_3'(t) + \eta_4'(t) + \eta_5'(t)) \alpha'(t) - \cos(\theta(t)) R(t) \theta'(t)^2 - \\
& \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{L_0}{2} + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) (\theta'(t) + \psi'(t))^2 - \\
& 2 \sin(\theta(t)) R'(t) \theta'(t) - 2 \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (\theta'(t) + \psi'(t)) (\eta_3'(t) + \eta_4'(t) + \eta_5'(t)) + \\
& \cos(\theta(t)) R''(t) - \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \left(\frac{L_0}{2} + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \alpha''(t) - \\
& R(t) \sin(\theta(t)) \theta''(t) - \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{2} + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \\
& (\theta''(t) + \psi''(t)) + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) (\eta_3''(t) + \eta_4''(t) + \eta_5''(t)) \Bigg) + \\
& 2 \left(\cos(\theta(t)) R(t) + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{L_0}{2} + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \right) \\
& \left(-\cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{2} + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \alpha'(t)^2 - \right. \\
& 2 \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \left(\frac{L_0}{2} + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) (\theta'(t) + \psi'(t)) \alpha'(t) - \\
& \left. 2 \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) (\eta_3'(t) + \eta_4'(t) + \eta_5'(t)) \alpha'(t) - R(t) \sin(\theta(t)) \theta'(t)^2 - \right.
\end{aligned}$$

$$\begin{aligned}
& \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{2} + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) (\theta'(t) + \psi'(t))^2 + \\
& 2 \cos(\theta(t)) R'(t) \theta'(t) + 2 \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) (\theta'(t) + \psi'(t)) (\eta_3'(t) + \eta_4'(t) + \eta_5'(t)) + \\
& \sin(\theta(t)) R''(t) - \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{2} + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \alpha''(t) + \\
& \cos(\theta(t)) R(t) \theta''(t) + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{L_0}{2} + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \\
& (\theta''(t) + \psi''(t)) + \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (\eta_3''(t) + \eta_4''(t) + \eta_5''(t)) \Bigg) + \\
& \frac{1}{2} m_0 \left(2 \left(\cos(\theta(t)) R'(t) - \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \left(\frac{7 L_0}{10} + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \alpha'(t) - \right. \right. \\
& R(t) \sin(\theta(t)) \theta'(t) - \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{7 L_0}{10} + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \\
& (\theta'(t) + \psi'(t)) + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) (\eta_2'(t) + \eta_3'(t) + \eta_4'(t) + \eta_5'(t)) \Bigg) \\
& \left(-\sin(\theta(t)) R'(t) + \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{7 L_0}{10} + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \alpha'(t) - \right. \\
& \cos(\theta(t)) R(t) \theta'(t) - \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{7 L_0}{10} + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \\
& (\theta'(t) + \psi'(t)) - \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (\eta_2'(t) + \eta_3'(t) + \eta_4'(t) + \eta_5'(t)) \Bigg) + \\
& 2 \left(\cos(\theta(t)) R'(t) - \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \left(\frac{7 L_0}{10} + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \alpha'(t) - \right. \\
& R(t) \sin(\theta(t)) \theta'(t) - \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{7 L_0}{10} + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \\
& (\theta'(t) + \psi'(t)) + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) (\eta_2'(t) + \eta_3'(t) + \eta_4'(t) + \eta_5'(t)) \Bigg) \\
& \left(\sin(\theta(t)) R'(t) - \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{7 L_0}{10} + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \alpha'(t) + \right. \\
& \cos(\theta(t)) R(t) \theta'(t) + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{7 L_0}{10} + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \\
& (\theta'(t) + \psi'(t)) + \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (\eta_2'(t) + \eta_3'(t) + \eta_4'(t) + \eta_5'(t)) \Bigg) +
\end{aligned}$$

$$\begin{aligned}
& 2 \left(-R(t) \sin(\theta(t)) - \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{7 L_0}{10} + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \right) \\
& \left(-\cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{7 L_0}{10} + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \alpha'(t)^2 + \right. \\
& 2 \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{7 L_0}{10} + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) (\theta'(t) + \psi'(t)) \alpha'(t) - \\
& 2 \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) (\eta_2'(t) + \eta_3'(t) + \eta_4'(t) + \eta_5'(t)) \alpha'(t) - \cos(\theta(t)) R(t) \theta'(t)^2 - \\
& \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{7 L_0}{10} + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) (\theta'(t) + \psi'(t))^2 - 2 \sin(\theta(t)) \\
& R'(t) \theta'(t) - 2 \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (\theta'(t) + \psi'(t)) (\eta_2'(t) + \eta_3'(t) + \eta_4'(t) + \eta_5'(t)) + \\
& \cos(\theta(t)) R''(t) - \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \left(\frac{7 L_0}{10} + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \alpha''(t) - \\
& R(t) \sin(\theta(t)) \theta''(t) - \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{7 L_0}{10} + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \\
& \left. (\theta''(t) + \psi''(t)) + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) (\eta_2''(t) + \eta_3''(t) + \eta_4''(t) + \eta_5''(t)) \right) + \\
& 2 \left(\cos(\theta(t)) R(t) + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{7 L_0}{10} + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \right) \\
& \left(-\cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{7 L_0}{10} + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \alpha'(t)^2 - \right. \\
& 2 \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \left(\frac{7 L_0}{10} + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) (\theta'(t) + \psi'(t)) \alpha'(t) - \\
& 2 \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) (\eta_2'(t) + \eta_3'(t) + \eta_4'(t) + \eta_5'(t)) \alpha'(t) - R(t) \sin(\theta(t)) \theta'(t)^2 - \\
& \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{7 L_0}{10} + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) (\theta'(t) + \psi'(t))^2 + \\
& 2 \cos(\theta(t)) R'(t) \theta'(t) + 2 \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) (\theta'(t) + \psi'(t)) \\
& (\eta_2'(t) + \eta_3'(t) + \eta_4'(t) + \eta_5'(t)) + \sin(\theta(t)) R''(t) - \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \\
& \left(\frac{7 L_0}{10} + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \alpha''(t) + \cos(\theta(t)) R(t) \theta''(t) + \\
& \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{7 L_0}{10} + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) (\theta''(t) + \psi''(t)) + \\
& \left. \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (\eta_2''(t) + \eta_3''(t) + \eta_4''(t) + \eta_5''(t)) \right) \Bigg) + \frac{1}{2} m_0
\end{aligned}$$

$$\begin{aligned}
& \left(2 \left(\cos(\theta(t)) R'(t) - \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \left(\frac{9 L_0}{10} + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \alpha'(t) - \right. \right. \\
& \quad R(t) \sin(\theta(t)) \theta'(t) - \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{9 L_0}{10} + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \\
& \quad \left. \left(\theta'(t) + \psi'(t) \right) + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\eta_1'(t) + \eta_2'(t) + \eta_3'(t) + \eta_4'(t) + \eta_5'(t) \right) \right) \\
& \quad \left(-\sin(\theta(t)) R'(t) + \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{9 L_0}{10} + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \right. \\
& \quad \alpha'(t) - \cos(\theta(t)) R(t) \theta'(t) - \\
& \quad \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{9 L_0}{10} + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \left(\theta'(t) + \psi'(t) \right) - \\
& \quad \left. \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\eta_1'(t) + \eta_2'(t) + \eta_3'(t) + \eta_4'(t) + \eta_5'(t) \right) \right) + \\
& \quad 2 \left(\cos(\theta(t)) R'(t) - \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \left(\frac{9 L_0}{10} + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \alpha'(t) - \right. \\
& \quad R(t) \sin(\theta(t)) \theta'(t) - \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{9 L_0}{10} + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \\
& \quad \left. \left(\theta'(t) + \psi'(t) \right) + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\eta_1'(t) + \eta_2'(t) + \eta_3'(t) + \eta_4'(t) + \eta_5'(t) \right) \right) \\
& \quad \left(\sin(\theta(t)) R'(t) - \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{9 L_0}{10} + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \alpha'(t) + \right. \\
& \quad \cos(\theta(t)) R(t) \theta'(t) + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{9 L_0}{10} + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \\
& \quad \left. \left(\theta'(t) + \psi'(t) \right) + \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\eta_1'(t) + \eta_2'(t) + \eta_3'(t) + \eta_4'(t) + \eta_5'(t) \right) \right) + \\
& \quad 2 \left(-R(t) \sin(\theta(t)) - \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{9 L_0}{10} + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \right) \\
& \quad \left(-\cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{9 L_0}{10} + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \alpha'(t)^2 + 2 \sin(\alpha(t)) \right. \\
& \quad \left. \sin(\theta(t) + \psi(t)) \left(\frac{9 L_0}{10} + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \left(\theta'(t) + \psi'(t) \right) \alpha'(t) - \right. \\
& \quad \left. 2 \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \left(\eta_1'(t) + \eta_2'(t) + \eta_3'(t) + \eta_4'(t) + \eta_5'(t) \right) \alpha'(t) - \cos(\theta(t)) \right)
\end{aligned}$$

$$\begin{aligned}
& R(t) \theta'(t)^2 - \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{9L_0}{10} + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \\
& (\theta'(t) + \psi'(t))^2 - 2 \sin(\theta(t)) R'(t) \theta'(t) - 2 \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (\theta'(t) + \psi'(t)) \\
& (\eta_1'(t) + \eta_2'(t) + \eta_3'(t) + \eta_4'(t) + \eta_5'(t)) + \cos(\theta(t)) R''(t) - \cos(\theta(t) + \psi(t)) \\
& \sin(\alpha(t)) \left(\frac{9L_0}{10} + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \alpha''(t) - R(t) \sin(\theta(t)) \theta''(t) - \\
& \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{9L_0}{10} + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) (\theta''(t) + \psi''(t)) + \\
& \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) (\eta_1''(t) + \eta_2''(t) + \eta_3''(t) + \eta_4''(t) + \eta_5''(t)) \Big) + \\
& 2 \left(\cos(\theta(t)) R(t) + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{9L_0}{10} + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \right) \\
& \left(-\cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{9L_0}{10} + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \alpha'(t)^2 - \right. \\
& 2 \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \left(\frac{9L_0}{10} + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) (\theta'(t) + \psi'(t)) \\
& \alpha'(t) - 2 \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) (\eta_1'(t) + \eta_2'(t) + \eta_3'(t) + \eta_4'(t) + \eta_5'(t)) \alpha'(t) - R(t) \\
& \sin(\theta(t)) \theta'(t)^2 - \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{9L_0}{10} + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \\
& (\theta'(t) + \psi'(t))^2 + 2 \cos(\theta(t)) R'(t) \theta'(t) + 2 \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) (\theta'(t) + \psi'(t)) \\
& (\eta_1'(t) + \eta_2'(t) + \eta_3'(t) + \eta_4'(t) + \eta_5'(t)) + \sin(\theta(t)) R''(t) - \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \\
& \left(\frac{9L_0}{10} + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \alpha''(t) + \cos(\theta(t)) R(t) \theta''(t) + \\
& \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{9L_0}{10} + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) (\theta''(t) + \psi''(t)) + \\
& \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (\eta_1''(t) + \eta_2''(t) + \eta_3''(t) + \eta_4''(t) + \eta_5''(t)) \Big) \Big) + \\
& \frac{1}{2} m_0 \left(2 \left(\cos(\theta(t)) R'(t) + \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \left(\frac{L_0}{10} + \eta_6(t) \right) \alpha'(t) - R(t) \sin(\theta(t)) \theta'(t) + \right. \right. \\
& \left. \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{10} + \eta_6(t) \right) (\theta'(t) + \psi'(t)) - \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \eta_6'(t) \right) \\
& \left(\sin(\theta(t)) R'(t) + \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{10} + \eta_6(t) \right) \alpha'(t) + \cos(\theta(t)) R(t) \theta'(t) - \right.
\end{aligned}$$

$$\begin{aligned}
& \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{L_0}{10} + \eta_6(t) \right) (\theta'(t) + \psi'(t)) - \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \eta_6'(t) \Big) + \\
& 2 \left(\cos(\theta(t)) R'(t) + \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \left(\frac{L_0}{10} + \eta_6(t) \right) \alpha'(t) - R(t) \sin(\theta(t)) \theta'(t) + \right. \\
& \quad \left. \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{10} + \eta_6(t) \right) (\theta'(t) + \psi'(t)) - \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \eta_6'(t) \right) \\
& \left(-\sin(\theta(t)) R'(t) - \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{10} + \eta_6(t) \right) \alpha'(t) - \cos(\theta(t)) R(t) \theta'(t) + \right. \\
& \quad \left. \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{L_0}{10} + \eta_6(t) \right) (\theta'(t) + \psi'(t)) + \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \eta_6'(t) \right) + \\
& 2 \left(\cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{10} + \eta_6(t) \right) - R(t) \sin(\theta(t)) \right) \\
& \left(\cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{L_0}{10} + \eta_6(t) \right) \alpha'(t)^2 - 2 \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \right. \\
& \quad \left(\frac{L_0}{10} + \eta_6(t) \right) (\theta'(t) + \psi'(t)) \alpha'(t) + 2 \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \eta_6'(t) \alpha'(t) - \\
& \quad \cos(\theta(t)) R(t) \theta'(t)^2 + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{L_0}{10} + \eta_6(t) \right) (\theta'(t) + \psi'(t))^2 - \\
& \quad 2 \sin(\theta(t)) R'(t) \theta'(t) + 2 \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (\theta'(t) + \psi'(t)) \eta_6'(t) + \\
& \quad \cos(\theta(t)) R''(t) + \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \left(\frac{L_0}{10} + \eta_6(t) \right) \alpha''(t) - R(t) \sin(\theta(t)) \theta''(t) + \\
& \quad \left. \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{10} + \eta_6(t) \right) (\theta''(t) + \psi''(t)) - \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \eta_6''(t) \right) + \\
& 2 \left(\cos(\theta(t)) R(t) - \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{L_0}{10} + \eta_6(t) \right) \right) \\
& \left(\cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{10} + \eta_6(t) \right) \alpha'(t)^2 + 2 \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \right. \\
& \quad \left(\frac{L_0}{10} + \eta_6(t) \right) (\theta'(t) + \psi'(t)) \alpha'(t) + 2 \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \eta_6'(t) \alpha'(t) - \\
& \quad R(t) \sin(\theta(t)) \theta'(t)^2 + \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{10} + \eta_6(t) \right) (\theta'(t) + \psi'(t))^2 + \\
& \quad \left. 2 \cos(\theta(t)) R'(t) \theta'(t) - 2 \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) (\theta'(t) + \psi'(t)) \eta_6'(t) + \sin(\theta(t)) R''(t) + \right.
\end{aligned}$$

$$\begin{aligned}
& \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{10} + \eta_6(t) \right) \alpha''(t) + \cos(\theta(t)) R(t) \theta''(t) - \cos(\alpha(t)) \\
& \cos(\theta(t) + \psi(t)) \left(\frac{L_0}{10} + \eta_6(t) \right) (\theta''(t) + \psi''(t)) - \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \eta_6''(t) \Bigg) + \\
& \frac{1}{2} m_0 \left(2 \left(\cos(\theta(t)) R'(t) + \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \left(\frac{3L_0}{10} + \eta_6(t) + \eta_7(t) \right) \alpha'(t) - \right. \right. \\
& R(t) \sin(\theta(t)) \theta'(t) + \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{3L_0}{10} + \eta_6(t) + \eta_7(t) \right) (\theta'(t) + \psi'(t)) - \\
& \left. \left. \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) (\eta_6'(t) + \eta_7'(t)) \right) \right. \\
& \left(\sin(\theta(t)) R'(t) + \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{3L_0}{10} + \eta_6(t) + \eta_7(t) \right) \alpha'(t) + \right. \\
& \cos(\theta(t)) R(t) \theta'(t) - \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{3L_0}{10} + \eta_6(t) + \eta_7(t) \right) (\theta'(t) + \psi'(t)) - \\
& \left. \left. \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (\eta_6'(t) + \eta_7'(t)) \right) \right) + \\
& 2 \left(\cos(\theta(t)) R'(t) + \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \left(\frac{3L_0}{10} + \eta_6(t) + \eta_7(t) \right) \alpha'(t) - \right. \\
& R(t) \sin(\theta(t)) \theta'(t) + \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{3L_0}{10} + \eta_6(t) + \eta_7(t) \right) (\theta'(t) + \psi'(t)) - \\
& \left. \left. \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) (\eta_6'(t) + \eta_7'(t)) \right) \right. \\
& \left(-\sin(\theta(t)) R'(t) - \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{3L_0}{10} + \eta_6(t) + \eta_7(t) \right) \alpha'(t) - \right. \\
& \cos(\theta(t)) R(t) \theta'(t) + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{3L_0}{10} + \eta_6(t) + \eta_7(t) \right) (\theta'(t) + \psi'(t)) + \\
& \left. \left. \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (\eta_6'(t) + \eta_7'(t)) \right) \right) + \\
& 2 \left(\cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{3L_0}{10} + \eta_6(t) + \eta_7(t) \right) - R(t) \sin(\theta(t)) \right) \\
& \left(\cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{3L_0}{10} + \eta_6(t) + \eta_7(t) \right) \alpha'(t)^2 - \right.
\end{aligned}$$

$$\begin{aligned}
& 2 \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{3 L_0}{10} + \eta_6(t) + \eta_7(t) \right) (\theta'(t) + \psi'(t)) \alpha'(t) + \\
& 2 \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) (\eta_6'(t) + \eta_7'(t)) \alpha'(t) - \cos(\theta(t)) R(t) \theta'(t)^2 + \\
& \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{3 L_0}{10} + \eta_6(t) + \eta_7(t) \right) (\theta'(t) + \psi'(t))^2 - \\
& 2 \sin(\theta(t)) R'(t) \theta'(t) + 2 \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (\theta'(t) + \psi'(t)) (\eta_6'(t) + \eta_7'(t)) + \\
& \cos(\theta(t)) R''(t) + \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \left(\frac{3 L_0}{10} + \eta_6(t) + \eta_7(t) \right) \alpha''(t) - \\
& R(t) \sin(\theta(t)) \theta''(t) + \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{3 L_0}{10} + \eta_6(t) + \eta_7(t) \right) (\theta''(t) + \psi''(t)) - \\
& \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) (\eta_6''(t) + \eta_7''(t)) \Big) + \\
& 2 \left(\cos(\theta(t)) R(t) - \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{3 L_0}{10} + \eta_6(t) + \eta_7(t) \right) \right) \\
& \left(\cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{3 L_0}{10} + \eta_6(t) + \eta_7(t) \right) \alpha'(t)^2 + \right. \\
& 2 \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \left(\frac{3 L_0}{10} + \eta_6(t) + \eta_7(t) \right) (\theta'(t) + \psi'(t)) \alpha'(t) + \\
& 2 \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) (\eta_6'(t) + \eta_7'(t)) \alpha'(t) - R(t) \sin(\theta(t)) \theta'(t)^2 + \\
& \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{3 L_0}{10} + \eta_6(t) + \eta_7(t) \right) (\theta'(t) + \psi'(t))^2 + 2 \cos(\theta(t)) R'(t) \theta'(t) - \\
& 2 \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) (\theta'(t) + \psi'(t)) (\eta_6'(t) + \eta_7'(t)) + \sin(\theta(t)) R''(t) + \\
& \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{3 L_0}{10} + \eta_6(t) + \eta_7(t) \right) \alpha''(t) + \cos(\theta(t)) R(t) \theta''(t) - \\
& \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{3 L_0}{10} + \eta_6(t) + \eta_7(t) \right) (\theta''(t) + \psi''(t)) - \\
& \left. \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (\eta_6''(t) + \eta_7''(t)) \right) \Big) + \\
& \frac{1}{2} m_0 \left(2 \left(\cos(\theta(t)) R'(t) + \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \left(\frac{L_0}{2} + \eta_6(t) + \eta_7(t) + \eta_8(t) \right) \alpha'(t) - \right. \right. \\
& \left. \left. R(t) \sin(\theta(t)) \theta'(t) + \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{2} + \eta_6(t) + \eta_7(t) + \eta_8(t) \right) (\theta'(t) + \psi'(t)) - \right. \right.
\end{aligned}$$

$$\begin{aligned}
& \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) (\eta_6'(t) + \eta_7'(t) + \eta_8'(t)) \Big) \\
& \left(\sin(\theta(t)) R'(t) + \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{2} + \eta_6(t) + \eta_7(t) + \eta_8(t) \right) \alpha'(t) + \right. \\
& \quad \cos(\theta(t)) R(t) \theta'(t) - \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{L_0}{2} + \eta_6(t) + \eta_7(t) + \eta_8(t) \right) (\theta'(t) + \psi'(t)) - \\
& \quad \left. \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (\eta_6'(t) + \eta_7'(t) + \eta_8'(t)) \right) + \\
& 2 \left(\cos(\theta(t)) R'(t) + \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \left(\frac{L_0}{2} + \eta_6(t) + \eta_7(t) + \eta_8(t) \right) \alpha'(t) - \right. \\
& \quad R(t) \sin(\theta(t)) \theta'(t) + \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{2} + \eta_6(t) + \eta_7(t) + \eta_8(t) \right) (\theta'(t) + \psi'(t)) - \\
& \quad \left. \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) (\eta_6'(t) + \eta_7'(t) + \eta_8'(t)) \right) \\
& \left(-\sin(\theta(t)) R'(t) - \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{2} + \eta_6(t) + \eta_7(t) + \eta_8(t) \right) \alpha'(t) - \right. \\
& \quad \cos(\theta(t)) R(t) \theta'(t) + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{L_0}{2} + \eta_6(t) + \eta_7(t) + \eta_8(t) \right) (\theta'(t) + \psi'(t)) + \\
& \quad \left. \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (\eta_6'(t) + \eta_7'(t) + \eta_8'(t)) \right) + \\
& 2 \left(\cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{2} + \eta_6(t) + \eta_7(t) + \eta_8(t) \right) - R(t) \sin(\theta(t)) \right) \\
& \left(\cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{L_0}{2} + \eta_6(t) + \eta_7(t) + \eta_8(t) \right) \alpha'(t)^2 - \right. \\
& \quad 2 \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{2} + \eta_6(t) + \eta_7(t) + \eta_8(t) \right) (\theta'(t) + \psi'(t)) \alpha'(t) + \\
& \quad 2 \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) (\eta_6'(t) + \eta_7'(t) + \eta_8'(t)) \alpha'(t) - \cos(\theta(t)) R(t) \theta'(t)^2 + \\
& \quad \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{L_0}{2} + \eta_6(t) + \eta_7(t) + \eta_8(t) \right) (\theta'(t) + \psi'(t))^2 - \\
& \quad 2 \sin(\theta(t)) R'(t) \theta'(t) + 2 \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (\theta'(t) + \psi'(t)) (\eta_6'(t) + \eta_7'(t) + \eta_8'(t)) + \\
& \quad \left. \cos(\theta(t)) R''(t) + \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \left(\frac{L_0}{2} + \eta_6(t) + \eta_7(t) + \eta_8(t) \right) \alpha''(t) - \right.
\end{aligned}$$

$$\begin{aligned}
& R(t) \sin(\theta(t)) \theta''(t) + \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{2} + \eta_6(t) + \eta_7(t) + \eta_8(t) \right) \\
& \left(\theta''(t) + \psi''(t) - \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) (\eta_6''(t) + \eta_7''(t) + \eta_8''(t)) \right) + \\
& 2 \left(\cos(\theta(t)) R(t) - \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{L_0}{2} + \eta_6(t) + \eta_7(t) + \eta_8(t) \right) \right) \\
& \left(\cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{2} + \eta_6(t) + \eta_7(t) + \eta_8(t) \right) \alpha'(t)^2 + \right. \\
& 2 \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \left(\frac{L_0}{2} + \eta_6(t) + \eta_7(t) + \eta_8(t) \right) (\theta'(t) + \psi'(t)) \alpha'(t) + \\
& 2 \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) (\eta_6'(t) + \eta_7'(t) + \eta_8'(t)) \alpha'(t) - R(t) \sin(\theta(t)) \theta'(t)^2 + \\
& \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{2} + \eta_6(t) + \eta_7(t) + \eta_8(t) \right) (\theta'(t) + \psi'(t))^2 + \\
& 2 \cos(\theta(t)) R'(t) \theta'(t) - 2 \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) (\theta'(t) + \psi'(t)) (\eta_6'(t) + \eta_7'(t) + \eta_8'(t)) + \\
& \sin(\theta(t)) R''(t) + \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{2} + \eta_6(t) + \eta_7(t) + \eta_8(t) \right) \alpha''(t) + \\
& \cos(\theta(t)) R(t) \theta''(t) - \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{L_0}{2} + \eta_6(t) + \eta_7(t) + \eta_8(t) \right) \\
& \left. \left(\theta''(t) + \psi''(t) - \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (\eta_6''(t) + \eta_7''(t) + \eta_8''(t)) \right) \right) + \\
& \frac{1}{2} m_0 \left(2 \left(\cos(\theta(t)) R'(t) + \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \left(\frac{7 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) \right) \alpha'(t) - \right. \right. \\
& R(t) \sin(\theta(t)) \theta'(t) + \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{7 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) \right) \\
& \left. (\theta'(t) + \psi'(t)) - \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) (\eta_6'(t) + \eta_7'(t) + \eta_8'(t) + \eta_9'(t)) \right) \\
& \left(\sin(\theta(t)) R'(t) + \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{7 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) \right) \alpha'(t) + \right. \\
& \cos(\theta(t)) R(t) \theta'(t) - \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{7 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) \right) \\
& \left. (\theta'(t) + \psi'(t)) - \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (\eta_6'(t) + \eta_7'(t) + \eta_8'(t) + \eta_9'(t)) \right) +
\end{aligned}$$

$$\begin{aligned}
& 2 \left(\cos(\theta(t)) R'(t) + \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \left(\frac{7 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) \right) \alpha'(t) - \right. \\
& \quad R(t) \sin(\theta(t)) \theta'(t) + \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{7 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) \right) \\
& \quad \left. (\theta'(t) + \psi'(t)) - \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) (\eta_6'(t) + \eta_7'(t) + \eta_8'(t) + \eta_9'(t)) \right) \\
& \left(-\sin(\theta(t)) R'(t) - \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{7 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) \right) \alpha'(t) - \right. \\
& \quad \cos(\theta(t)) R(t) \theta'(t) + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{7 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) \right) \\
& \quad \left. (\theta'(t) + \psi'(t)) + \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (\eta_6'(t) + \eta_7'(t) + \eta_8'(t) + \eta_9'(t)) \right) + \\
& 2 \left(\cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{7 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) \right) - R(t) \sin(\theta(t)) \right) \\
& \left(\cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{7 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) \right) \alpha'(t)^2 - \right. \\
& \quad 2 \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{7 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) \right) (\theta'(t) + \psi'(t)) \alpha'(t) + \\
& \quad 2 \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) (\eta_6'(t) + \eta_7'(t) + \eta_8'(t) + \eta_9'(t)) \alpha'(t) - \cos(\theta(t)) R(t) \theta'(t)^2 + \\
& \quad \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{7 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) \right) (\theta'(t) + \psi'(t))^2 - 2 \sin(\theta(t)) \\
& \quad R'(t) \theta'(t) + 2 \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (\theta'(t) + \psi'(t)) (\eta_6'(t) + \eta_7'(t) + \eta_8'(t) + \eta_9'(t)) + \\
& \quad \cos(\theta(t)) R''(t) + \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \left(\frac{7 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) \right) \alpha''(t) - \\
& \quad R(t) \sin(\theta(t)) \theta''(t) + \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{7 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) \right) \\
& \quad \left. (\theta''(t) + \psi''(t)) - \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) (\eta_6''(t) + \eta_7''(t) + \eta_8''(t) + \eta_9''(t)) \right) + \\
& 2 \left(\cos(\theta(t)) R(t) - \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{7 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) \right) \right) \\
& \left(\cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{7 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) \right) \alpha'(t)^2 + \right.
\end{aligned}$$

$$\begin{aligned}
& 2 \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \left(\frac{7 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) \right) (\theta'(t) + \psi'(t)) \alpha'(t) + \\
& 2 \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) (\eta_6'(t) + \eta_7'(t) + \eta_8'(t) + \eta_9'(t)) \alpha'(t) - R(t) \sin(\theta(t)) \theta'(t)^2 + \\
& \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{7 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) \right) (\theta'(t) + \psi'(t))^2 + 2 \cos(\theta(t)) \\
& R'(t) \theta'(t) - 2 \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) (\theta'(t) + \psi'(t)) (\eta_6'(t) + \eta_7'(t) + \eta_8'(t) + \eta_9'(t)) + \\
& \sin(\theta(t)) R''(t) + \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{7 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) \right) \alpha''(t) + \\
& \cos(\theta(t)) R(t) \theta''(t) - \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{7 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) \right) \\
& (\theta''(t) + \psi''(t)) - \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (\eta_6''(t) + \eta_7''(t) + \eta_8''(t) + \eta_9''(t)) \Big) \Big) + \\
& \frac{1}{2} m_0 \left(2 \left(\cos(\theta(t)) R'(t) + \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \left(\frac{9 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) \right) \right. \right. \\
& \quad \alpha'(t) - R(t) \sin(\theta(t)) \theta'(t) + \\
& \quad \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{9 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) \right) (\theta'(t) + \psi'(t)) - \\
& \quad \left. \left. \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) (\eta_6'(t) + \eta_7'(t) + \eta_8'(t) + \eta_9'(t) + \eta_{10}'(t)) \right) \right) \\
& \left(\sin(\theta(t)) R'(t) + \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{9 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) \right) \right. \\
& \quad \alpha'(t) + \cos(\theta(t)) R(t) \theta'(t) - \\
& \quad \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{9 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) \right) (\theta'(t) + \psi'(t)) - \\
& \quad \left. \left. \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (\eta_6'(t) + \eta_7'(t) + \eta_8'(t) + \eta_9'(t) + \eta_{10}'(t)) \right) \right) + \\
& 2 \left(\cos(\theta(t)) R'(t) + \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \left(\frac{9 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) \right) \right. \\
& \quad \alpha'(t) - R(t) \sin(\theta(t)) \theta'(t) + \\
& \quad \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{9 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) \right) (\theta'(t) + \psi'(t)) - \\
& \quad \left. \left. \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) (\eta_6'(t) + \eta_7'(t) + \eta_8'(t) + \eta_9'(t) + \eta_{10}'(t)) \right) \right)
\end{aligned}$$

$$\begin{aligned}
& \left(-\sin(\theta(t)) R'(t) - \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{9 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) \right) \right. \\
& \quad \alpha'(t) - \cos(\theta(t)) R(t) \theta'(t) + \\
& \quad \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{9 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) \right) (\theta'(t) + \psi'(t)) + \\
& \quad \left. \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (\eta_6'(t) + \eta_7'(t) + \eta_8'(t) + \eta_9'(t) + \eta_{10}'(t)) \right) + \\
& 2 \left(\cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{9 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) \right) - R(t) \sin(\theta(t)) \right) \\
& \left(\cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{9 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) \right) \alpha'(t)^2 - 2 \sin(\alpha(t)) \right. \\
& \quad \sin(\theta(t) + \psi(t)) \left(\frac{9 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) \right) (\theta'(t) + \psi'(t)) \alpha'(t) + \\
& \quad 2 \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) (\eta_6'(t) + \eta_7'(t) + \eta_8'(t) + \eta_9'(t) + \eta_{10}'(t)) \alpha'(t) - \\
& \quad \cos(\theta(t)) R(t) \theta'(t)^2 + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \\
& \quad \left(\frac{9 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) \right) (\theta'(t) + \psi'(t))^2 - 2 \sin(\theta(t)) R'(t) \theta'(t) + \\
& \quad 2 \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (\theta'(t) + \psi'(t)) (\eta_6'(t) + \eta_7'(t) + \eta_8'(t) + \eta_9'(t) + \eta_{10}'(t)) + \\
& \quad \cos(\theta(t)) R''(t) + \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \\
& \quad \left(\frac{9 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) \right) \alpha''(t) - R(t) \sin(\theta(t)) \theta''(t) + \\
& \quad \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{9 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) \right) (\theta''(t) + \psi''(t)) - \\
& \quad \left. \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) (\eta_6''(t) + \eta_7''(t) + \eta_8''(t) + \eta_9''(t) + \eta_{10}''(t)) \right) + \\
& 2 \left(\cos(\theta(t)) R(t) - \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{9 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) \right) \right) \\
& \left(\cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{9 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) \right) \alpha'(t)^2 + \right. \\
& \quad 2 \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \left(\frac{9 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) \right) (\theta'(t) + \psi'(t)) \\
& \quad \left. \alpha'(t) + 2 \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) (\eta_6'(t) + \eta_7'(t) + \eta_8'(t) + \eta_9'(t) + \eta_{10}'(t)) \alpha'(t) - R(t) \right)
\end{aligned}$$

$$\begin{aligned}
& \sin(\theta(t)) \theta'(t)^2 + \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{9 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) \right) \\
& \left(\theta'(t) + \psi'(t) \right)^2 + 2 \cos(\theta(t)) R'(t) \theta'(t) - 2 \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\theta'(t) + \psi'(t) \right) \\
& \left(\eta_6'(t) + \eta_7'(t) + \eta_8'(t) + \eta_9'(t) + \eta_{10}'(t) \right) + \sin(\theta(t)) R''(t) + \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \\
& \left(\frac{9 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) \right) \alpha''(t) + \cos(\theta(t)) R(t) \theta''(t) - \\
& \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{9 L_0}{10} + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) \right) \left(\theta''(t) + \psi''(t) \right) - \\
& \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\eta_6''(t) + \eta_7''(t) + \eta_8''(t) + \eta_9''(t) + \eta_{10}''(t) \right) \Bigg) + \frac{1}{2} M_{P1} \\
& \left(2 \left(\cos(\theta(t)) R'(t) - \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \right) \left(L_0 + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) + \eta_{P1}(t) \right) \right. \\
& \quad \alpha'(t) - R(t) \sin(\theta(t)) \theta'(t) - \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \\
& \quad \left(L_0 + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) + \eta_{P1}(t) \right) \left(\theta'(t) + \psi'(t) \right) + \\
& \quad \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\eta_1'(t) + \eta_2'(t) + \eta_3'(t) + \eta_4'(t) + \eta_5'(t) + \eta_{P1}'(t) \right) \Bigg) \\
& \left(-\sin(\theta(t)) R'(t) + \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \right) \left(L_0 + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) + \eta_{P1}(t) \right) \\
& \quad \alpha'(t) - \cos(\theta(t)) R(t) \theta'(t) - \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \\
& \quad \left(L_0 + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) + \eta_{P1}(t) \right) \left(\theta'(t) + \psi'(t) \right) - \\
& \quad \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\eta_1'(t) + \eta_2'(t) + \eta_3'(t) + \eta_4'(t) + \eta_5'(t) + \eta_{P1}'(t) \right) \Bigg) + \\
& 2 \left(\cos(\theta(t)) R'(t) - \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \right) \left(L_0 + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) + \eta_{P1}(t) \right) \\
& \quad \alpha'(t) - R(t) \sin(\theta(t)) \theta'(t) - \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \\
& \quad \left(L_0 + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) + \eta_{P1}(t) \right) \left(\theta'(t) + \psi'(t) \right) + \\
& \quad \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\eta_1'(t) + \eta_2'(t) + \eta_3'(t) + \eta_4'(t) + \eta_5'(t) + \eta_{P1}'(t) \right) \Bigg) \\
& \left(\sin(\theta(t)) R'(t) - \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \right) \left(L_0 + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) + \eta_{P1}(t) \right) \\
& \quad \alpha'(t) + \cos(\theta(t)) R(t) \theta'(t) + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \\
& \quad \left(L_0 + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) + \eta_{P1}(t) \right) \left(\theta'(t) + \psi'(t) \right) + \\
& \quad \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\eta_1'(t) + \eta_2'(t) + \eta_3'(t) + \eta_4'(t) + \eta_5'(t) + \eta_{P1}'(t) \right) \Bigg) + \\
& 2 \left(-R(t) \sin(\theta(t)) - \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \right) \left(L_0 + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) + \eta_{P1}(t) \right) \\
& \quad \left(-\cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(L_0 + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) + \eta_{P1}(t) \right) \alpha'(t)^2 + \right. \\
& \quad 2 \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(L_0 + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) + \eta_{P1}(t) \right) \\
& \quad \left(\theta'(t) + \psi'(t) \right) \alpha'(t) - 2 \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \\
& \quad \left(\eta_1'(t) + \eta_2'(t) + \eta_3'(t) + \eta_4'(t) + \eta_5'(t) + \eta_{P1}'(t) \right) \alpha'(t) - \cos(\theta(t)) R(t) \theta'(t)^2 - \\
& \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(L_0 + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) + \eta_{P1}(t) \right) \\
& \quad \left(\theta'(t) + \psi'(t) \right)^2 - 2 \sin(\theta(t)) R'(t) \theta'(t) - 2 \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\theta'(t) + \psi'(t) \right) \\
& \quad \left(\eta_1'(t) + \eta_2'(t) + \eta_3'(t) + \eta_4'(t) + \eta_5'(t) + \eta_{P1}'(t) \right) + \cos(\theta(t)) R''(t) -
\end{aligned}$$

$$\begin{aligned}
& \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) (L_0 + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) + \eta_{P1}(t)) \alpha''(t) - \\
& R(t) \sin(\theta(t)) \theta''(t) - \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \\
& (L_0 + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) + \eta_{P1}(t)) (\theta''(t) + \psi''(t)) + \\
& \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) (\eta_1''(t) + \eta_2''(t) + \eta_3''(t) + \eta_4''(t) + \eta_5''(t) + \eta_{P1}''(t)) \Big) + \\
& 2 \Big(\cos(\theta(t)) R(t) + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) (L_0 + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) + \eta_{P1}(t)) \\
& (-\cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (L_0 + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) + \eta_{P1}(t)) \alpha'(t)^2 - \\
& 2 \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) (L_0 + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) + \eta_{P1}(t)) \\
& (\theta'(t) + \psi'(t)) \alpha'(t) - 2 \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \\
& (\eta_1'(t) + \eta_2'(t) + \eta_3'(t) + \eta_4'(t) + \eta_5'(t) + \eta_{P1}'(t)) \alpha'(t) - R(t) \sin(\theta(t)) \theta'(t)^2 - \\
& \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (L_0 + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) + \eta_{P1}(t)) \\
& (\theta'(t) + \psi'(t))^2 + 2 \cos(\theta(t)) R'(t) \theta'(t) + 2 \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) (\theta'(t) + \psi'(t)) \\
& (\eta_1'(t) + \eta_2'(t) + \eta_3'(t) + \eta_4'(t) + \eta_5'(t) + \eta_{P1}'(t)) + \sin(\theta(t)) R''(t) - \\
& \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) (L_0 + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) + \eta_{P1}(t)) \alpha''(t) + \\
& \cos(\theta(t)) R(t) \theta''(t) + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \\
& (L_0 + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) + \eta_{P1}(t)) (\theta''(t) + \psi''(t)) + \\
& \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (\eta_1''(t) + \eta_2''(t) + \eta_3''(t) + \eta_4''(t) + \eta_5''(t) + \eta_{P1}''(t)) \Big) \Big) + \\
& \frac{1}{2} M_{P2} \Big(2 \Big(\cos(\theta(t)) R'(t) + \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) (L_0 + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \\
& \eta_{10}(t) + \eta_{P2}(t)) \alpha'(t) - R(t) \sin(\theta(t)) \theta'(t) + \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \\
& (L_0 + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) + \eta_{P2}(t)) (\theta'(t) + \psi'(t)) - \\
& \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) (\eta_6'(t) + \eta_7'(t) + \eta_8'(t) + \eta_9'(t) + \eta_{10}'(t) + \eta_{P2}'(t)) \Big) \\
& (\sin(\theta(t)) R'(t) + \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) (L_0 + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) + \eta_{P2}(t)) \\
& \alpha'(t) + \cos(\theta(t)) R(t) \theta'(t) - \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \\
& (L_0 + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) + \eta_{P2}(t)) (\theta'(t) + \psi'(t)) - \\
& \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (\eta_6'(t) + \eta_7'(t) + \eta_8'(t) + \eta_9'(t) + \eta_{10}'(t) + \eta_{P2}'(t)) \Big) + \\
& 2 \Big(\cos(\theta(t)) R'(t) + \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) (L_0 + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) + \eta_{P2}(t)) \\
& \alpha'(t) - R(t) \sin(\theta(t)) \theta'(t) + \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \\
& (L_0 + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) + \eta_{P2}(t)) (\theta'(t) + \psi'(t)) - \\
& \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) (\eta_6'(t) + \eta_7'(t) + \eta_8'(t) + \eta_9'(t) + \eta_{10}'(t) + \eta_{P2}'(t)) \Big) \\
& (-\sin(\theta(t)) R'(t) - \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) (L_0 + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \\
& \eta_{10}(t) + \eta_{P2}(t)) \alpha'(t) - \cos(\theta(t)) R(t) \theta'(t) + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \\
& (L_0 + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) + \eta_{P2}(t)) (\theta'(t) + \psi'(t)) + \\
& \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (\eta_6'(t) + \eta_7'(t) + \eta_8'(t) + \eta_9'(t) + \eta_{10}'(t) + \eta_{P2}'(t)) \Big) + \\
& 2 \Big(\cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (L_0 + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) + \eta_{P2}(t)) - R(t) \sin(\theta(t)) \Big)
\end{aligned}$$

$$\begin{aligned}
& \left(\cos(\alpha(t)) \cos(\theta(t) + \psi(t)) (L_0 + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) + \eta_{P2}(t)) \alpha'(t)^2 - \right. \\
& \quad 2 \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) (L_0 + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) + \eta_{P2}(t)) \\
& \quad \left(\theta'(t) + \psi'(t) \right) \alpha'(t) + 2 \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) \\
& \quad \left(\eta_6'(t) + \eta_7'(t) + \eta_8'(t) + \eta_9'(t) + \eta_{10}'(t) + \eta_{P2}'(t) \right) \alpha'(t) - \cos(\theta(t)) R(t) \theta'(t)^2 + \\
& \quad \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) (L_0 + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) + \eta_{P2}(t)) \\
& \quad \left(\theta'(t) + \psi'(t) \right)^2 - 2 \sin(\theta(t)) R'(t) \theta'(t) + 2 \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\theta'(t) + \psi'(t) \right) \\
& \quad \left(\eta_6'(t) + \eta_7'(t) + \eta_8'(t) + \eta_9'(t) + \eta_{10}'(t) + \eta_{P2}'(t) \right) + \cos(\theta(t)) R''(t) + \\
& \quad \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) (L_0 + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) + \eta_{P2}(t)) \alpha''(t) - \\
& \quad R(t) \sin(\theta(t)) \theta''(t) + \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \\
& \quad \left(L_0 + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) + \eta_{P2}(t) \right) \left(\theta''(t) + \psi''(t) \right) - \\
& \quad \left. \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\eta_6''(t) + \eta_7''(t) + \eta_8''(t) + \eta_9''(t) + \eta_{10}''(t) + \eta_{P2}''(t) \right) \right) + \\
& 2 \left(\cos(\theta(t)) R(t) - \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \right. \\
& \quad \left. \left(L_0 + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) + \eta_{P2}(t) \right) \right) \\
& \left(\cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (L_0 + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) + \eta_{P2}(t)) \alpha'(t)^2 + \right. \\
& \quad 2 \cos(\theta(t) + \psi(t)) \sin(\alpha(t)) (L_0 + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) + \eta_{P2}(t)) \\
& \quad \left(\theta'(t) + \psi'(t) \right) \alpha'(t) + 2 \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) \\
& \quad \left(\eta_6'(t) + \eta_7'(t) + \eta_8'(t) + \eta_9'(t) + \eta_{10}'(t) + \eta_{P2}'(t) \right) \alpha'(t) - R(t) \sin(\theta(t)) \theta'(t)^2 + \\
& \quad \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (L_0 + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) + \eta_{P2}(t)) \\
& \quad \left(\theta'(t) + \psi'(t) \right)^2 + 2 \cos(\theta(t)) R'(t) \theta'(t) - 2 \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\theta'(t) + \psi'(t) \right) \\
& \quad \left(\eta_6'(t) + \eta_7'(t) + \eta_8'(t) + \eta_9'(t) + \eta_{10}'(t) + \eta_{P2}'(t) \right) + \sin(\theta(t)) R''(t) + \\
& \quad \sin(\alpha(t)) \sin(\theta(t) + \psi(t)) (L_0 + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) + \eta_{P2}(t)) \alpha''(t) + \\
& \quad \cos(\theta(t)) R(t) \theta''(t) - \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \\
& \quad \left(L_0 + \eta_6(t) + \eta_7(t) + \eta_8(t) + \eta_9(t) + \eta_{10}(t) + \eta_{P2}(t) \right) \left(\theta''(t) + \psi''(t) \right) - \\
& \quad \left. \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\eta_6''(t) + \eta_7''(t) + \eta_8''(t) + \eta_9''(t) + \eta_{10}''(t) + \eta_{P2}''(t) \right) \right) + \\
& \left(\mu m_0 \left(2 \left(\cos(\theta(t)) R(t) + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{3 L_0}{10} + \eta_4(t) + \eta_5(t) \right) \right) \right. \right. \\
& \quad \left. \left(-R(t) \sin(\theta(t)) - \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{3 L_0}{10} + \eta_4(t) + \eta_5(t) \right) \right) \right) + \\
& \quad 2 \left(\cos(\theta(t)) R(t) + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{3 L_0}{10} + \eta_4(t) + \eta_5(t) \right) \right) \\
& \quad \left. \left(R(t) \sin(\theta(t)) + \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{3 L_0}{10} + \eta_4(t) + \eta_5(t) \right) \right) \right) \right) /
\end{aligned}$$

$$\begin{aligned}
& \left(2 \left(\sin^2(\alpha(t)) \left(\frac{3 L_0}{10} + \eta_4(t) + \eta_5(t) \right) \right)^2 + \right. \\
& \quad \left(\cos(\theta(t)) R(t) + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{3 L_0}{10} + \eta_4(t) + \eta_5(t) \right) \right)^2 + \\
& \quad \left. \left(R(t) \sin(\theta(t)) + \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{3 L_0}{10} + \eta_4(t) + \eta_5(t) \right) \right)^2 \right)^{3/2} \Bigg) + \\
& \left(\mu m_0 \left(2 \left(\cos(\theta(t)) R(t) + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{L_0}{2} + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \right) \right. \right. \\
& \quad \left. \left(-R(t) \sin(\theta(t)) - \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{2} + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \right) \right) + \\
& \quad 2 \left(\cos(\theta(t)) R(t) + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{L_0}{2} + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \right) \\
& \quad \left. \left(R(t) \sin(\theta(t)) + \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{2} + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \right) \right) \Bigg) / \\
& \left(2 \left(\sin^2(\alpha(t)) \left(\frac{L_0}{2} + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \right)^2 + \right. \\
& \quad \left(\cos(\theta(t)) R(t) + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{L_0}{2} + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \right)^2 + \\
& \quad \left. \left(R(t) \sin(\theta(t)) + \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{L_0}{2} + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \right)^2 \right)^{3/2} \Bigg) + \\
& \left(\mu m_0 \left(2 \left(\cos(\theta(t)) R(t) + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{7 L_0}{10} + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \right) \right. \right. \\
& \quad \left. \left(-R(t) \sin(\theta(t)) - \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{7 L_0}{10} + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \right) \right) + \\
& \quad 2 \left(\cos(\theta(t)) R(t) + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{7 L_0}{10} + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \right) \\
& \quad \left. \left(R(t) \sin(\theta(t)) + \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{7 L_0}{10} + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \right) \right) \Bigg) / \\
& \left(2 \left(\sin^2(\alpha(t)) \left(\frac{7 L_0}{10} + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \right)^2 + \right.
\end{aligned}$$

$$\begin{aligned}
& \left(\cos(\theta(t)) R(t) + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{7 L_0}{10} + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \right)^2 + \\
& \left(R(t) \sin(\theta(t)) + \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{7 L_0}{10} + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \right)^2 \Big)^{3/2} \Big) + \\
& \left(\mu m_0 \left(2 \left(\cos(\theta(t)) R(t) + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{9 L_0}{10} + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \right) \right. \right. \\
& \left. \left(-R(t) \sin(\theta(t)) - \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{9 L_0}{10} + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \right) \right) + \\
& 2 \left(\cos(\theta(t)) R(t) + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{9 L_0}{10} + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \right) \\
& \left. \left(R(t) \sin(\theta(t)) + \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{9 L_0}{10} + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \right) \right) \Big) \Big) / \\
& \left(2 \left(\sin^2(\alpha(t)) \left(\frac{9 L_0}{10} + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \right)^2 + \left(\cos(\theta(t)) R(t) + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) \left(\frac{9 L_0}{10} + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \right)^2 + \left(R(t) \sin(\theta(t)) + \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) \left(\frac{9 L_0}{10} + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) \right) \right)^2 \Big)^{3/2} \right) + \\
& (\mu M_{P1} (2 (\cos(\theta(t)) R(t) + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) (L_0 + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) + \eta_{P1}(t))) (-R(t) \sin(\theta(t)) - \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (L_0 + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) + \eta_{P1}(t))) + 2 (\cos(\theta(t)) R(t) + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) (L_0 + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) + \eta_{P1}(t))) (R(t) \sin(\theta(t)) + \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (L_0 + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) + \eta_{P1}(t)))) \Big) / \\
& \left(2 \left(\sin^2(\alpha(t)) (L_0 + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) + \eta_{P1}(t)) \right)^2 + (\cos(\theta(t)) R(t) + \cos(\alpha(t)) \cos(\theta(t) + \psi(t)) (L_0 + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) + \eta_{P1}(t)))^2 + (R(t) \sin(\theta(t)) + \cos(\alpha(t)) \sin(\theta(t) + \psi(t)) (L_0 + \eta_1(t) + \eta_2(t) + \eta_3(t) + \eta_4(t) + \eta_5(t) + \eta_{P1}(t)))^2 \Big)^{3/2} \right) = Q_\theta
\end{aligned}$$